

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	NJ_SRS7_26D_Tbl1A	NJ_SRS7_26D_Tbl1B	NJDEP	Comp-1 Vo Grab			Comp-2 Vo Grab			Comp-3 Vo Grab		
Lab Sample ID	Residential	Non-Residential	IGW Screening	460-212465-2			460-212465-4			460-212465-6		
Sampling Date	Sept_2017	Sept_2017	Nov_2013	07/02/2020 11:40:00			07/02/2020 12:25:00			07/02/2020 12:55:00		
Matrix				Soil			Soil			Soil		
Dilution Factor				1			1			1		
Unit	ug/kg	ug/kg	ug/kg	ug/kg			ug/kg			ug/kg		
				Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
SOIL BY 8260C												
1,1,1,2-Tetrachloroethane	NA	NA	NA	0.32	U	0.32	0.20	U	0.20	0.27	U	0.27
1,1,1-Trichloroethane	160000000	NA	300	0.39	U	0.39	0.25	U	0.25	0.33	U	0.33
1,1,2,2-Tetrachloroethane	1000	3000	7	0.36	U	0.36	0.23	U	0.23	0.30	U	0.30
1,1,2-Trichloro-1,2,2-trifluoroethane	NA	NA	NA	0.50	U	0.50	0.32	U	0.32	0.42	U	0.42
1,1,2-Trichloroethane	2000	6000	20	0.30	U	0.30	0.19	U	0.19	0.25	U	0.25
1,1-Dichloroethane	8000	24000	200	0.34	U	0.34	0.22	U	0.22	0.29	U	0.29
1,1-Dichloroethene	11000	150000	8	0.37	U	0.37	0.24	U	0.24	0.32	U	0.32
1,2,3-Trichlorobenzene	NA	NA	NA	0.30	U	0.30	0.19	U	0.19	0.25	U	0.25
1,2,4-Trichlorobenzene	73000	820000	700	0.60	U	0.60	0.38	U	0.38	0.50	U	0.50
1,2-Dibromo-3-Chloropropane	80	200	5	0.77	U	0.77	0.48	U	0.48	0.64	U	0.64
1,2-Dichlorobenzene	5300000	59000000	17000	0.24	U	0.24	0.15	U	0.15	0.20	U	0.20
1,2-Dichloroethane	900	3000	5	0.49	U	0.49	0.31	U	0.31	0.41	U	0.41
1,2-Dichloropropane	2000	5000	5	0.70	U	0.70	0.45	U	0.45	0.59	U	0.59
1,3-Dichlorobenzene	5300000	59000000	19000	0.26	U	0.26	0.17	U	0.17	0.22	U	0.22
1,4-Dichlorobenzene	5000	13000	2000	0.37	U	0.37	0.24	U	0.24	0.32	U	0.32
1,4-Dioxane	NA	NA	NA	15	U	15	9.7	U	9.7	13	U	13
2-Butanone (MEK)	3100000	44000000	900	4.5	U	4.5	2.9	U	2.9	3.8	U	3.8
2-Hexanone	NA	NA	NA	2.8	U	2.8	1.8	U	1.8	2.4	U	2.4
2-Methyl-2-propanol	1400000	11000000	300	5.5	U	5.5	3.5	U	3.5	4.6	U	4.6
4-Methyl-2-pentanone (MIBK)	NA	NA	NA	2.6	U	2.6	1.6	U	1.6	2.2	U	2.2
Acetone	7000000	NA	19000	9.5	U	9.5	6.0	U	6.0	8.0	U	8.0
Benzene	2000	5000	5	0.43	U	0.43	0.27	U	0.27	0.36	U	0.36
Bromoform	81000	280000	30	0.71	U	0.71	0.45	U	0.45	0.60	U	0.60
Bromomethane	25000	59000	40	0.79	U	0.79	0.50	U	0.50	0.66	U	0.66
Carbon disulfide	7800000	110000000	6000	0.44	U	0.44	0.28	U	0.28	0.37	U	0.37
Carbon tetrachloride	2000	4000	5	0.64	U	0.64	0.41	U	0.41	0.54	U	0.54
Chlorobenzene	510000	7400000	600	0.29	U	0.29	0.19	U	0.19	0.25	U	0.25
Chlorobromomethane	NA	NA	NA	0.47	U	0.47	0.30	U	0.30	0.39	U	0.39
Chlorodibromomethane	3000	8000	5	0.32	U	0.32	0.20	U	0.20	0.27	U	0.27
Chloroethane	220000	1100000	NA	0.87	U	0.87	0.55	U	0.55	0.73	U	0.73
Chloroform	600	2000	400	0.53	U	0.53	0.34	U	0.34	0.45	U	0.45
Chloromethane	4000	12000	NA	0.72	U	0.72	0.46	U	0.46	0.61	U	0.61
cis-1,2-Dichloroethene	230000	560000	300	0.25	U	0.25	0.16	U	0.16	0.21	U	0.21
cis-1,3-Dichloropropene	NA	NA	NA	0.45	U	0.45	0.29	U	0.29	0.38	U	0.38
Cyclohexane	NA	NA	NA	0.37	U	0.37	0.23	U	0.23	0.31	U	0.31
Dichlorobromomethane	1000	3000	5	0.43	U	0.43	0.27	U	0.27	0.36	U	0.36
Dichlorodifluoromethane	490000	230000000	39000	0.56	U	0.56	0.36	U	0.36	0.47	U	0.47
Ethylbenzene	7800000	110000000	13000	0.33	U	0.33	0.21	U	0.21	0.28	U	0.28
Ethylene Dibromide	8	40	5	0.30	U	0.30	0.19	U	0.19	0.25	U	0.25
Isopropylbenzene	NA	NA	NA	0.21	U	0.21	0.13	U	0.13	0.18	U	0.18
Methyl acetate	78000000	NA	22000	7.2	U	7.2	4.5	U	4.5	6.0	U	6.0

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	NJ_SRS7_26D_Tbl1A	NJ_SRS7_26D_Tbl1B	NJDEP	Comp-1 Vo Grab			Comp-2 Vo Grab			Comp-3 Vo Grab		
Lab Sample ID	Residential	Non-Residential	IGW Screening	460-212465-2			460-212465-4			460-212465-6		
Sampling Date	Sept_2017	Sept_2017	Nov_2013	07/02/2020 11:40:00			07/02/2020 12:25:00			07/02/2020 12:55:00		
Matrix				Soil			Soil			Soil		
Dilution Factor				1			1			1		
Unit	ug/kg	ug/kg	ug/kg	ug/kg			ug/kg			ug/kg		
				Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
Methyl tert-butyl ether	110000	320000	200	0.21	U	0.21	0.13	U	0.13	0.18	U	0.18
Methylcyclohexane	NA	NA	NA	0.83	U	0.83	0.53	U	0.53	0.70	U	0.70
Methylene Chloride	46000	230000	10	0.77	U	0.77	0.49	U	0.49	0.65	U	0.65
m-Xylene & p-Xylene	NA	NA	NA	0.29	U	0.29	0.18	U	0.18	0.24	U	0.24
o-Xylene	NA	NA	NA	0.32	U	0.32	0.20	U	0.20	0.27	U	0.27
Styrene	90000	260000	3000	0.46	U	0.46	0.29	U	0.29	0.39	U	0.39
Tetrachloroethene	43000	1500000	5	0.24	U	0.24	0.15	U	0.15	0.20	U	0.20
Toluene	6300000	91000000	7000	0.39	U	0.39	0.25	U	0.25	0.33	U	0.33
trans-1,2-Dichloroethene	300000	720000	600	0.41	U	0.41	0.26	U	0.26	0.34	U	0.34
trans-1,3-Dichloropropene	NA	NA	NA	0.44	U	0.44	0.28	U	0.28	0.37	U	0.37
Trichloroethene	3000	10000	10	0.24	U	0.24	0.15	U	0.15	0.20	U	0.20
Trichlorofluoromethane	23000000	340000000	34000	0.68	U	0.68	0.43	U	0.43	0.57	U	0.57
Vinyl chloride	700	2000	5	0.91	U	0.91	0.57	U	0.57	0.77	U	0.77
Total Conc	NA	NA	NA	0.0			0.0			0.0		
Total Estimated Conc. (TICs)	NA	NA	NA	0.0*T			0.0*T			0.0*T		

*T There are no TICs reported for the sample

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551

TestAmerica Laboratories, Inc.**Eurofins TestAmerica, Edison**

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	USEPA	Comp-A Vo Grab		
Lab Sample ID	TCLP Limit	460-212465-8		
Sampling Date		07/02/2020 12:56:00		
Matrix		TCLP		
Dilution Factor		10		
Unit	mg/l	mg/l		
		Result	Q	MDL
TCLP BY 8260C				
1,1-Dichloroethene	0.7	0.0026	U	0.0026
1,2-Dichloroethane	0.5	0.0043	U	0.0043
1,4-Dichlorobenzene	7.5	0.0033	U	0.0033
2-Butanone (MEK)	200	0.019	U	0.019
Benzene	0.5	0.0020	U	0.0020
Carbon tetrachloride	0.5	0.0021	U	0.0021
Chlorobenzene	100	0.0038	U	0.0038
Chloroform	6	0.0033	U	0.0033
Tetrachloroethene	0.7	0.0025	U	0.0025
Trichloroethene	0.5	0.0031	U	0.0031
Vinyl chloride	0.2	0.0017	U	0.0017
Total Conc	NA	0.0		

TCLP SUMMARY				
Leachate Initial Amt	NA	0.02517	Kg	
Leachate Final Amt	NA	0.5	L	
Leachate Final pH	NA	5.17	SU	

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	NJ_SRS7_26D_Tbl1A	NJ_SRS7_26D_Tbl1B	NJDEP	Grab 1			Grab 2			Grab 3			Grab 4		
Lab Sample ID	Residential	Non-Residential	IGW Screening	460-212465-9			460-212465-10			460-212465-11			460-212465-12		
Sampling Date	Sept_2017	Sept_2017	Nov_2013	07/02/2020 11:15:00			07/02/2020 11:20:00			07/02/2020 11:25:00			07/02/2020 11:30:00		
Matrix				Soil			Soil			Soil			Soil		
Dilution Factor				50			50			50			50		
Unit	ug/kg	ug/kg	ug/kg	ug/kg			ug/kg			ug/kg			ug/kg		
				Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
SOIL BY 8015D															
GRO	NA	NA	NA	2600	U	2600	2600	U	2600	2400	U	2400	2600	U	2600

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551

TestAmerica Laboratories, |
Eurofins TestAmerica, Edis

SUMMARY OF ANALYTICAL RESULTS:

Job Description: Orchard School Ridge

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	Grab 5			Grab 6			Grab 7			Grab 8			Grab 9			Grab 10		
Lab Sample ID	460-212465-13			460-212465-14			460-212465-15			460-212465-16			460-212465-17			460-212465-18		
Sampling Date	07/02/2020 11:35:00			07/02/2020 12:00:00			07/02/2020 12:05:00			07/02/2020 12:10:00			07/02/2020 12:15:00			07/02/2020 12:20:00		
Matrix	Soil			Soil			Soil			Soil			Soil			Soil		
Dilution Factor	50			50			50			50			50			50		
Unit	ug/kg			ug/kg			ug/kg			ug/kg			ug/kg			ug/kg		
	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
SOIL BY 8015D																		
GRO	2700	U	2700	2900	U	2900	4600	U	4600	2700	U	2700	2700	U	2700	2600	U	2600

U : Indicates the analyte was analyzed for b

Lab Contact:

Angelica Rosaperez
 Project Mgmt. Assistant
 (732)549-3900

Jannel Franklin
 Manager of Project Management Assistants
 (732)593-2551

TestAmerica Laboratories, |
Eurofins TestAmerica, Edis

SUMMARY OF ANALYTICAL RESULTS:

Job Description: Orchard School Ridge

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	Grab 11			Grab 12			Grab 13			Grab 14		
Lab Sample ID	460-212465-19			460-212465-20			460-212465-21			460-212465-22		
Sampling Date	07/02/2020 12:35:00			07/02/2020 12:40:00			07/02/2020 12:45:00			07/02/2020 12:50:00		
Matrix	Soil			Soil			Soil			Soil		
Dilution Factor	50			50			50			50		
Unit	ug/kg			ug/kg			ug/kg			ug/kg		
	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
SOIL BY 8015D												
GRO	2600	U	2600	2700	U	2700	2500	U	2500	2600	U	2600

U : Indicates the analyte was analyzed for b

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	NJ_SRS7_26D_Tbl1A	NJ_SRS7_26D_Tbl1B	NJDEP	Comp-1			Comp-2			Comp-3		
Lab Sample ID	Residential	Non-Residential	IGW Screening	460-212465-1			460-212465-3			460-212465-5		
Sampling Date	Sept_2017	Sept_2017	Nov_2013	07/02/2020 11:45:00			07/02/2020 12:30:00			07/02/2020 13:00:00		
Matrix				Soil			Soil			Soil		
Dilution Factor				1			1			1		
Unit	ug/kg	ug/kg	ug/kg	ug/kg			ug/kg			ug/kg		
				Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
SOIL BY 8270D												
1,1'-Biphenyl	61000	240000	140000	4.7	U	4.7	4.9	U	4.9	4.8	U	4.8
1,2,4,5-Tetrachlorobenzene	NA	NA	NA	11	U	11	11	U	11	11	U	11
2,2'-oxybis[1-chloropropane]	23000	67000	5000	6.4	U	6.4	6.6	U	6.6	6.5	U	6.5
2,3,4,6-Tetrachlorophenol	NA	NA	NA	24	U	24	25	U	25	24	U	24
2,4,5-Trichlorophenol	6100000	6800000	68000	36	U	36	37	U	37	36	U	36
2,4,6-Trichlorophenol	19000	74000	200	46	U	46	47	U	47	46	U	46
2,4-Dichlorophenol	180000	2100000	200	23	U	23	24	U	24	23	U	23
2,4-Dimethylphenol	1200000	14000000	1000	16	U	16	16	U	16	16	U	16
2,4-Dinitrophenol	120000	1400000	300	170	U	170	180	U	180	180	U	180
2,4-Dinitrotoluene	700	3000	NA	38	U	38	40	U	40	39	U	39
2,6-Dinitrotoluene	700	3000	NA	26	U	26	27	U	27	26	U	26
2-Chloronaphthalene	NA	NA	NA	16	U	16	17	U	17	17	U	17
2-Chlorophenol	310000	2200000	800	13	U	13	13	U	13	13	U	13
2-Methylnaphthalene	230000	2400000	8000	31	J	9.9	48	J	10	25	J	10
2-Methylphenol	310000	3400000	NA	13	U	13	14	U	14	13	U	13
2-Nitroaniline	39000	23000000	NA	13	U	13	14	U	14	13	U	13
2-Nitrophenol	NA	NA	NA	36	U	36	37	U	37	36	U	36
3,3'-Dichlorobenzidine	1000	4000	200	54	U	54	55	U	55	54	U	54
3-Nitroaniline	NA	NA	NA	40	U	40	41	U	41	40	U	40
4,6-Dinitro-2-methylphenol	6000	68000	300	58	U	58	60	U	60	58	U	58
4-Bromophenyl phenyl ether	NA	NA	NA	14	U	14	15	U	15	14	U	14
4-Chloro-3-methylphenol	NA	NA	NA	20	U	20	21	U	21	20	U	20
4-Chloroaniline	NA	NA	NA	25	U	25	26	U	26	25	U	25
4-Chlorophenyl phenyl ether	NA	NA	NA	13	U	13	13	U	13	13	U	13
4-Methylphenol	31000	340000	NA	22	U	22	23	U	23	22	U	22
4-Nitroaniline	NA	NA	NA	41	U	41	42	U	42	41	U	41
4-Nitrophenol	NA	NA	NA	58	U	58	60	U	60	58	U	58
Acenaphthene	3400000	37000000	110000	280	J	26	71	J	27	26	U	26
Acenaphthylene	NA	30000000	NA	100	J	3.7	250	J	3.8	130	J	3.7
Acetophenone	2000	5000	3000	17	U	17	18	U	18	18	U	18
Anthracene	17000000	30000000	2400000	550		11	220	J	11	140	J	11
Atrazine	210000	2400000	200	9.0	U	9.0	9.3	U	9.3	9.0	U	9.0
Benzaldehyde	6100000	68000000	NA	15	U	15	16	U	16	16	U	16
Benzo[a]anthracene	5000	17000	800	2700		12	1200		13	810		12
Benzo[a]pyrene	500	2000	200	2800		9.5	1500		9.8	950		9.5
Benzo[b]fluoranthene	5000	17000	2000	4000		9.2	1900		9.5	1100		9.3
Benzo[g,h,i]perylene	38000000	30000000	NA	880		10	500		11	360		11
Benzo[k]fluoranthene	45000	170000	25000	1300		7.0	610		7.2	400		7.0
Bis(2-chloroethoxy)methane	NA	NA	NA	28	U	28	29	U	29	28	U	28
Bis(2-chloroethyl)ether	400	2000	200	12	U	12	13	U	13	12	U	12
Bis(2-ethylhexyl) phthalate	35000	140000	1200000	19	U	19	140	J	19	19	U	19

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	NJ_SRS7_26D_Tbl1A	NJ_SRS7_26D_Tbl1B	NJDEP	Comp-1			Comp-2			Comp-3		
Lab Sample ID	Residential	Non-Residential	IGW Screening	460-212465-1			460-212465-3			460-212465-5		
Sampling Date	Sept_2017	Sept_2017	Nov_2013	07/02/2020 11:45:00			07/02/2020 12:30:00			07/02/2020 13:00:00		
Matrix				Soil			Soil			Soil		
Dilution Factor				1			1			1		
Unit	ug/kg		ug/kg	ug/kg			ug/kg			ug/kg		
				Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
Butyl benzyl phthalate	1200000	14000000	230000	17	U	17	17	U	17	17	U	17
Caprolactam	31000000	340000000	12000	55	U	55	57	U	57	56	U	56
Carbazole	24000	96000	NA	190	J	14	70	J	14	44	J	14
Chrysene	450000	1700000	80000	2700		6.0	1500		6.2	920		6.1
Dibenz(a,h)anthracene	500	2000	800	290		15	140		16	96		16
Dibenzofuran	NA	NA	NA	76	J	5.0	36	J	5.2	18	J	5.0
Diethyl phthalate	49000000	550000000	88000	5.1	U	5.1	5.3	U	5.3	5.2	U	5.2
Dimethyl phthalate	NA	NA	NA	81	U	81	83	U	83	81	U	81
Di-n-butyl phthalate	6100000	68000000	760000	63	U	63	65	U	65	63	U	63
Di-n-octyl phthalate	2400000	27000000	3300000	19	U	19	19	U	19	19	U	19
Fluoranthene	2300000	24000000	1300000	5900		12	2200		13	1300		13
Fluorene	2300000	24000000	170000	270	J	4.8	160	J	5.0	65	J	4.9
Hexachlorobenzene	300	1000	200	17	U	17	17	U	17	17	U	17
Hexachlorobutadiene	6000	25000	900	7.6	U	7.6	7.8	U	7.8	7.6	U	7.6
Hexachlorocyclopentadiene	45000	110000	320000	31	U	31	32	U	32	31	U	31
Hexachloroethane	12000	48000	200	12	U	12	13	U	13	12	U	12
Indeno[1,2,3-cd]pyrene	5000	17000	7000	1100		14	590		14	430		14
Isophorone	510000	2000000	200	100	U	100	110	U	110	100	U	100
Naphthalene	6000	17000	25000	45	J	6.1	51	J	6.4	33	J	6.2
Nitrobenzene	5000	14000	200	8.5	U	8.5	8.8	U	8.8	8.6	U	8.6
N-Nitrosodi-n-propylamine	200	300	200	26	U	26	27	U	27	26	U	26
N-Nitrosodiphenylamine	99000	390000	400	6.8	U	6.8	7.0	U	7.0	6.9	U	6.9
Pentachlorophenol	900	3000	300	73	U	73	75	U	75	73	U	73
Phenanthrene	NA	300000000	NA	2800		6.2	1500		6.5	780		6.3
Phenol	18000000	210000000	8000	13	U	13	14	U	14	13	U	13
Pyrene	1700000	18000000	840000	4900		8.8	2300		9.1	1400		8.9
Total Conc	NA	NA	NA	30912.0			14986.0			9001.0		

Highlighted Concentrations: Sample fails - results do not meet Federal & NJ State Drinking Water Requirements.

J : Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551

TestAmerica Laboratories, Inc.**Eurofins TestAmerica, Edison**

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	USEPA	Comp-A		
Lab Sample ID	TCLP Limit	460-212465-7		
Sampling Date		07/02/2020 13:00:00		
Matrix		TCLP		
Dilution Factor		1		
Unit	mg/l	mg/l		
		Result	Q	MDL
TCLP BY 8270D				
1,4-Dichlorobenzene	7.5	0.0013	U	0.0013
2,4,5-Trichlorophenol	400	0.00080	U	0.00080
2,4,6-Trichlorophenol	2	0.00080	U	0.00080
2,4-Dinitrotoluene	0.13	0.0010	U	0.0010
2-Methylphenol	200	0.00060	U	0.00060
3 & 4 Methylphenol	NA	0.00060	U	0.00060
Hexachlorobenzene	0.13	0.00040	U	0.00040
Hexachlorobutadiene	0.5	0.00080	U	0.00080
Hexachloroethane	3	0.0012	U	0.0012
Nitrobenzene	2	0.00060	U	0.00060
Pentachlorophenol	100	0.0014	U	0.0014
Pyridine	5	0.0019	U	0.0019
Total Conc	NA	0.0		

TCLP SUMMARY				
Leachate Initial Amt	NA	0.10009	Kg	
Leachate Final Amt	NA	2	L	
Leachate Final pH	NA	4.95	SU	

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	NJ_SRS7_26D_Tbl1A	NJ_SRS7_26D_Tbl1B	NJDEP	Grab 1			Grab 2			Grab 3			Grab 4		
Lab Sample ID	Residential	Non-Residential	IGW Screening	460-212465-9			460-212465-10			460-212465-11			460-212465-12		
Sampling Date	Sept_2017	Sept_2017	Nov_2013	07/02/2020 11:15:00			07/02/2020 11:20:00			07/02/2020 11:25:00			07/02/2020 11:30:00		
Matrix				Soil			Soil			Soil			Soil		
Dilution Factor				10			10			10			10		
Unit	mg/kg	mg/kg	mg/kg	mg/kg			mg/kg			mg/kg			mg/kg		
				Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
SOIL BY 8015D															
C10-C44	NA	NA	NA	770		9.0	450		9.0	550		8.9	700		9.3

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551

TestAmerica Laboratories, |
Eurofins TestAmerica, Edis

SUMMARY OF ANALYTICAL RESULTS:

Job Description: Orchard School Ridge

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	Grab 5			Grab 6			Grab 7			Grab 8			Grab 9			Grab 10		
Lab Sample ID	460-212465-13			460-212465-14			460-212465-15			460-212465-16			460-212465-17			460-212465-18		
Sampling Date	07/02/2020 11:35:00			07/02/2020 12:00:00			07/02/2020 12:05:00			07/02/2020 12:10:00			07/02/2020 12:15:00			07/02/2020 12:20:00		
Matrix	Soil			Soil			Soil			Soil			Soil			Soil		
Dilution Factor	10			10			10			10			10			10		
Unit	mg/kg			mg/kg			mg/kg			mg/kg			mg/kg			mg/kg		
	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
SOIL BY 8015D																		
C10-C44	580		9.5	770		9.6	1600		14	570		9.1	490		9.1	390		9.1

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551

TestAmerica Laboratories, |
Eurofins TestAmerica, Edis

SUMMARY OF ANALYTICAL RESULTS:

Job Description: Orchard School Ridge

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	Grab 11			Grab 12			Grab 13			Grab 14		
Lab Sample ID	460-212465-19			460-212465-20			460-212465-21			460-212465-22		
Sampling Date	07/02/2020 12:35:00			07/02/2020 12:40:00			07/02/2020 12:45:00			07/02/2020 12:50:00		
Matrix	Soil			Soil			Soil			Soil		
Dilution Factor	1			10			1			10		
Unit	mg/kg			mg/kg			mg/kg			mg/kg		
	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
SOIL BY 8015D												
C10-C44	49		0.90	430		9.3	70		0.88	430		9.0

Lab Contact:

Angelica Rosaperez
 Project Mgmt. Assistant
 (732)549-3900

Jannel Franklin
 Manager of Project Management Assistants
 (732)593-2551

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	NJ_SRS7_26D_Tbl1A	NJ_SRS7_26D_Tbl1B	NJDEP	Comp-1			Comp-2			Comp-3		
Lab Sample ID	Residential	Non-Residential	IGW Screening	460-212465-1			460-212465-3			460-212465-5		
Sampling Date	Sept_2017	Sept_2017	Nov_2013	07/02/2020 11:45:00			07/02/2020 12:30:00			07/02/2020 13:00:00		
Matrix				Soil			Soil			Soil		
Dilution Factor				1			1			1		
Unit	ug/kg	ug/kg	ug/kg	ug/kg			ug/kg			ug/kg		
				Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
SOIL BY 8081B												
4,4'-DDD	3000	13000	4000	32		1.2	68		1.3	36		1.2
4,4'-DDE	2000	9000	18000	32		0.85	21		0.88	17		0.86
4,4'-DDT	2000	8000	11000	59		1.3	38		1.4	46		1.3
Aldrin	40	200	200	1.1	U	1.1	1.1	U	1.1	1.1	U	1.1
alpha-BHC	100	500	2	0.73	U	0.73	0.76	U	0.76	0.74	U	0.74
beta-BHC	400	2000	2	0.81	U	0.81	0.83	U	0.83	0.81	U	0.81
Chlordane (technical)	200	1000	NA	17	U	17	18	U	18	18	U	18
delta-BHC	NA	NA	NA	0.44	U	0.44	0.46	U	0.46	0.44	U	0.44
Dieldrin	40	200	3	0.93	U	0.93	5.0		0.97	0.94	U	0.94
Endosulfan I	NA	NA	NA	1.1	U	1.1	1.1	U	1.1	1.1	U	1.1
Endosulfan II	NA	NA	NA	1.8	U	1.8	1.9	U	1.9	1.9	U	1.9
Endosulfan sulfate	470000	6800000	2000	0.90	U	0.90	0.93	U	0.93	0.91	U	0.91
Endrin	23000	340000	1000	1.0	U	1.0	1.1	U	1.1	1.0	U	1.0
Endrin aldehyde	NA	NA	NA	1.7	U	1.7	1.8	U	1.8	1.7	U	1.7
Endrin ketone	NA	NA	NA	1.4	U	1.4	1.4	U	1.4	1.4	U	1.4
gamma-BHC (Lindane)	400	2000	2	0.67	U	0.67	0.69	U	0.69	0.67	U	0.67
Heptachlor	100	700	500	0.85	U	0.85	0.88	U	0.88	0.86	U	0.86
Heptachlor epoxide	70	300	10	1.1	U	1.1	1.1	U	1.1	1.1	U	1.1
Methoxychlor	390000	5700000	160000	1.6	U	1.6	1.7	U	1.7	1.7	U	1.7
Toxaphene	600	3000	300	26	U	26	27	U	27	26	U	26

Highlighted Concentrations: Sample fails - results do not meet Federal & NJ State Drinking Water Requirements.

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551

TestAmerica Laboratories, Inc.**Eurofins TestAmerica, Edison**

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	USEPA	Comp-A		
Lab Sample ID	TCLP Limit	460-212465-7		
Sampling Date		07/02/2020 13:00:00		
Matrix		TCLP		
Dilution Factor		1		
Unit	mg/l	mg/l		
		Result	Q	MDL
TCLP BY 8081B				
Chlordane (technical)	NA	0.000055	U	0.000055
Endrin	0.02	0.0000040	U	0.0000040
gamma-BHC (Lindane)	0.4	0.000012	U	0.000012
Heptachlor	0.008	0.0000030	U	0.0000030
Heptachlor epoxide	0.008	0.0000050	U	0.0000050
Methoxychlor	10	0.0000040	U	0.0000040
Toxaphene	0.5	0.00011	U	0.00011

TCLP SUMMARY				
Leachate Initial Amt	NA	0.10009	Kg	
Leachate Final Amt	NA	2	L	
Leachate Final pH	NA	4.95	SU	

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	NJ_SRS7_26D_Tbl1A	NJ_SRS7_26D_Tbl1B	NJDEP	Comp-1			Comp-2			Comp-3		
Lab Sample ID	Residential	Non-Residential	IGW Screening	460-212465-1			460-212465-3			460-212465-5		
Sampling Date	Sept_2017	Sept_2017	Nov_2013	07/02/2020 11:45:00			07/02/2020 12:30:00			07/02/2020 13:00:00		
Matrix				Soil			Soil			Soil		
Dilution Factor				1			1			1		
Unit	ug/kg	ug/kg	ug/kg	ug/kg			ug/kg			ug/kg		
				Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
SOIL BY 8082A												
Aroclor 1016	NA	NA	NA	9.6	U	9.6	9.9	U	9.9	9.6	U	9.6
Aroclor 1221	NA	NA	NA	9.6	U	9.6	9.9	U	9.9	9.6	U	9.6
Aroclor 1232	NA	NA	NA	9.6	U	9.6	9.9	U	9.9	9.6	U	9.6
Aroclor 1242	NA	NA	NA	9.6	U	9.6	9.9	U	9.9	9.6	U	9.6
Aroclor 1248	NA	NA	NA	9.6	U	9.6	9.9	U	9.9	9.6	U	9.6
Aroclor 1254	NA	NA	NA	9.9	U	9.9	10	U	10	10	U	10
Aroclor 1260	NA	NA	NA	9.9	U	9.9	10	U	10	10	U	10
Aroclor 1268	NA	NA	NA	9.9	U	9.9	10	U	10	10	U	10
Aroclor-1262	NA	NA	NA	9.9	U	9.9	10	U	10	10	U	10
Total PCBs	200	1000	200	9.9	U	9.9	10	U	10	10	U	10

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551

TestAmerica Laboratories, Inc.**Eurofins TestAmerica, Edison**

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	USEPA	Comp-A		
Lab Sample ID	TCLP Limit	460-212465-7		
Sampling Date		07/02/2020 13:00:00		
Matrix		TCLP		
Dilution Factor		1		
Unit	mg/l	mg/l		
		Result	Q	MDL
TCLP BY 8151A				
2,4,5-T	NA	0.0020	U	0.0020
2,4-D	10	0.0050	U	0.0050
Silvex (2,4,5-TP)	1	0.0040	U	0.0040

TCLP SUMMARY				
Leachate Initial Amt	NA	0.10009	Kg	
Leachate Final Amt	NA	2	L	
Leachate Final pH	NA	4.95	SU	

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	NJ_SRS7_26D_Tbl1A	NJ_SRS7_26D_Tbl1B	NJDEP	Comp-1			Comp-2			Comp-3		
Lab Sample ID	Residential	Non-Residential	IGW Screening	460-212465-1			460-212465-3			460-212465-5		
Sampling Date	Sept_2017	Sept_2017	Nov_2013	07/02/2020 11:45:00			07/02/2020 12:30:00			07/02/2020 13:00:00		
Matrix				Soil			Soil			Soil		
Unit												
				Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
SOIL BY 6010D(MG/KG)												
Aluminum	78000	NA	6000	7460		5.7	6750		5.8	8420		5.6
Antimony	31	450	6	2.1	J	1.2	2.3	J	1.2	2.5	J	1.1
Arsenic	19	19	19	4.0		0.62	5.3		0.63	4.7		0.61
Barium	16000	59000	2100	51.1		3.9	105		4.0	54.7		3.8
Beryllium	16	140	0.7	0.064	U	0.064	0.14	J	0.066	0.13	J	0.064
Cadmium	78	78	2	0.13	J	0.069	0.36	J	0.071	0.085	J	0.069
Calcium	NA	NA	NA	3910		74.1	4120		76.0	2250		73.4
Chromium	NA	NA	NA	12.0		1.4	40.5		1.5	12.6		1.4
Cobalt	1600	590	90	5.6	J	0.56	5.2	J	0.57	5.3	J	0.55
Copper	3100	45000	11000	33.6		1.3	40.7		1.3	29.6		1.2
Iron	NA	NA	NA	14300		20.7	17000		21.2	15900		20.5
Lead	400	800	90	99.0		0.33	168		0.33	93.8		0.32
Magnesium	NA	NA	NA	3170		67.9	2060		69.6	2240		67.3
Manganese	11000	5900	65	275		0.23	308		0.23	342		0.22
Nickel	1600	23000	48	11.3		0.53	51.9		0.54	10.7		0.52
Potassium	NA	NA	NA	428	J	61.6	453	J	63.1	442	J	61.0
Selenium	390	5700	11	0.68	U	0.68	0.70	U	0.70	0.67	U	0.67
Silver	390	5700	1	1.1	U	1.1	1.2	U	1.2	1.1	U	1.1
Sodium	NA	NA	NA	373	J	87.3	110	J	89.5	186	J	86.4
Thallium	NA	NA	3	0.62	U	0.62	0.64	U	0.64	0.62	U	0.62
Vanadium	78	1100	NA	22.8		0.93	23.1		0.96	22.8		0.92
Zinc	23000	110000	930	102		1.1	149		1.1	109		1.1
SOIL BY 7471B(MG/KG)												
Mercury	23	65	0.1	0.16		0.0041	0.36		0.0042	0.22		0.0041

Highlighted Concentrations: Sample fails - results do not meet Federal & NJ State Drinking Water Requirements.

J : Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551

TestAmerica Laboratories, Inc.**Eurofins TestAmerica, Edison**

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	USEPA	Comp-A		
Lab Sample ID	TCLP Limit	460-212465-7		
Sampling Date		07/02/2020 13:00:00		
Matrix		TCLP		
Unit				
		Result	Q	MDL
TCLP BY 6010D(UG/L)				
Arsenic	5000	16.7	U	16.7
Barium	100000	521	J	66.0
Cadmium	1000	2.3	J	1.6
Chromium	5000	24.9	U	24.9
Copper	NA	37.4	J	34.7
Lead	5000	61.1		11.8
Nickel	NA	20.6	U	20.6
Selenium	1000	29.4	U	29.4
Silver	5000	28.9	U	28.9
Zinc	NA	303		6.1

TCLP BY 7470A(MG/L)				
Mercury	0.2	0.000091	U	0.000091

TCLP SUMMARY				
Leachate Initial Amt	NA	0.10009	Kg	
Leachate Final Amt	NA	2	L	
Leachate Final pH	NA	4.95	SU	

J : Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

U : Indicates the analyte was analyzed for but not detected.

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	NJ_SRS7_26D_Tbl1A	NJ_SRS7_26D_Tbl1B	NJDEP	Comp-1			Comp-2			Comp-3			Comp-A		
Lab Sample ID	Residential	Non-Residential	IGW Screening	460-212465-1			460-212465-3			460-212465-5			460-212465-7		
Sampling Date	Sept_2017	Sept_2017	Nov_2013	07/02/2020 11:45:00			07/02/2020 12:30:00			07/02/2020 13:00:00			07/02/2020 13:00:00		
Matrix				Soil			Soil			Soil			Soil		
				Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
SOIL BY 1030															
Burn Rate (mm/sec)	NA	NA	NA	NR			NR			NR			2.20	U	2.20
SOIL BY 7196A															
Cr (III) (mg/kg)	NA	NA	NA	12.0		2.0	40.5		2.0	12.6		2.0	NR		
Cr (VI) (mg/kg)	NA	NA	NA	0.37	U	0.37	0.38	U	0.38	0.38	U	0.38	NR		
SOIL BY 9014															
Cyanide, Reactive (mg/kg)	NA	NA	NA	NR			NR			NR			25.0	U	25.0
SOIL BY 9034															
Sulfide, Reactive (mg/kg)	NA	NA	NA	NR			NR			NR			20.0	U	20.0
SOIL BY 9045D															
Corrosivity (su)	NA	NA	NA	NR			NR			NR			7.1	HF	
pH (su)	NA	NA	NA	NR			NR			NR			7.1	HF	

NR: Not Analyzed
 HF : Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
 U : Indicates the analyte was analyzed for but not detected.

Lab Contact:
 Angelica Rosaperez
 Project Mgmt. Assistant
 (732)549-3900

Jannel Franklin
 Manager of Project Management Assistants
 (732)593-2551

Eurofins TestAmerica, Edison

TestAmerica Laboratories, Inc.

Eurofins TestAmerica, Edison

SUMMARY OF ANALYTICAL RESULTS: 460-212465-1

Job Description: Orchard School Ridgewood, NJ

For:

Tricon Enterprises Inc

322 Beers Street

Keyport, New Jersey 07735

Client ID	NJ_SRS7_26D_Tbl1A	NJ_SRS7_26D_Tbl1B	NJDEP	Comp-A			Comp-A		
Lab Sample ID	Residential	Non-Residential	IGW Screening	460-212465-7			460-212465-7		
Sampling Date	Sept_2017	Sept_2017	Nov_2013	07/02/2020 13:00:00			07/02/2020 13:00:00		
Matrix				Soil			Soil		
Dilution Factor				1			1		
Unit	%	%	%	%			% passing		
				Result	Q	MDL	Result	Q	MDL
SOIL BY D422									
Coarse Sand	NA	NA	NA	9.9			NR		
Fine Sand	NA	NA	NA	23.3			NR		
Fines	NA	NA	NA	14.5			NR		
Gravel	NA	NA	NA	31.6			NR		
Medium Sand	NA	NA	NA	20.7			NR		
Sand	NA	NA	NA	53.9			NR		
Sieve Size #10 - Percent Finer	NA	NA	NA	NR			58.5		
Sieve Size #100 - Percent Finer	NA	NA	NA	NR			20.2		
Sieve Size #20 - Percent Finer	NA	NA	NA	NR			48.7		
Sieve Size #200 - Percent Finer	NA	NA	NA	NR			14.5		
Sieve Size #4 - Percent Finer	NA	NA	NA	NR			68.4		
Sieve Size #40 - Percent Finer	NA	NA	NA	NR			37.8		
Sieve Size #60 - Percent Finer	NA	NA	NA	NR			27.5		
Sieve Size #80 - Percent Finer	NA	NA	NA	NR			22.8		
Sieve Size 0.375 inch - Percent Finer	NA	NA	NA	NR			76.5		
Sieve Size 0.75 inch - Percent Finer	NA	NA	NA	NR			100.0		
Sieve Size 1 inch - Percent Finer	NA	NA	NA	NR			100.0		
Sieve Size 1.5 inch - Percent Finer	NA	NA	NA	NR			100.0		
Sieve Size 2 inch - Percent Finer	NA	NA	NA	NR			100.0		
Sieve Size 3 inch - Percent Finer	NA	NA	NA	NR			100.0		

NR: Not Analyzed

Lab Contact:

Angelica Rosaperez

Project Mgmt. Assistant

(732)549-3900

Jannel Franklin

Manager of Project Management Assistants

(732)593-2551